State Profile Report 10.13.2022

Tennessee

State Synopsis

New COVID-19 Cases per 100,000 Nucleic Acid Amplification Test (NAAT) positivity rate New Confirmed COVID-19 Hospital Admissions per 100,000 New COVID-19 Deaths per 100,000

Last week	Previous Week		
83	+2%		
10.9%	-0.9%		
4.7	-7%		
1.1	-42%		

COVID-19 Vaccinations

Total fully vaccinated

S years with at least one dose
5+ years fully vaccinated
14,129 people
3,801,732 people
12+ years received booster
1,768,255 people
65+ years received booster
698,475 people


55.7% of total pop.
3.5% of <5 pop.
59.2% of 5+ pop.
47.8% of 12+ fully vaccinated pop.
71.0% of 65+ fully vaccinated pop.

Change from

SARS-CoV-2 Variants of Concern

• In the 4 weeks ending 9/17/2022, the following proportions of variants of concern were identified in Tennessee: Omicron: BA.2, 0.3%; BA.2.12.1, 0.3%; BA.4, 2.7%; BA.4.6, 11.0%; BA.5, 84.6%; BA.2.75, 0.7%; BF.7, 0.3%

COVID-19 Reported Cases per 100,000 Population (last 7 days) and Percent of Total Population Fully Vaccinated



The purpose of this report is to develop a shared understanding of the current status of the pandemic at the national, regional, state, and local levels. We recognize that data at the state level may differ from that available at the federal level. Our objective is to use consistent data sources and methods that allow for comparisons to be made across localities. We appreciate your continued support in identifying data discrepancies and improving data completeness and sharing across systems. We look forward to your feedback. All inquiries and requests for information should be directed to https://wwwn.cdc.gov/dcs/ContactUs/Form.



State Profile Report | 10.13.2022

		State	State, % change from previous week	FEMA/HHS Region	United States
	New COVID-19 Cases (rate per 100,000)	5,681 (83)	+2%	42,476 (63)	272,642 (82)
	Nucleic Acid Amplification Test (NAAT) Positivity Rate	10.9%	-0.9%*	7.7%	8.8%
Total NAAT Volume † (tests per 100,000)		22,974 (336)	-12%	398,635 (596)	2,467,907 (743)
	New COVID-19 Deaths (rate per 100,000)	74 (1.1)	-42%	360 (0.5)	2,297 (0.7)
Confirmed new COVID-19 Hospital Admissions (rate per 100,000)		321 (4.7)	-7%	3,693 (5.5)	22,879 (6.9)
	COVID-19 Inpatient Occupancy	2%	0%*	2%	3%
	Hospitals With Supply Shortages (%)	9 (8%)	-18%	31 (3%)	192 (4%)
	<5 years first dose (% of population)	576 (0.14%)	+21.0%	5,546 (0.14%)	39,787 (0.20%)
	<5 years fully vaccinated (% of population)	461 (0.11%)	+11.6%	4,803 (0.12%)	37,147 (0.19%)
ations	5+ years first dose (% of population)	3,770 (0.06%)	-1.7%	73,936 (0.12%)	508,737 (0.16%)
COVID-19 Vaccinations	5+ years fully vaccinated (% of population)	3,162 (0.05%)	-37.9%	59,531 (0.09%)	292,448 (0.09%)
ID-19	12+ years booster dose	5,633	-10.5%	76,946	253,281
200	12+ years 2nd booster dose	24,433	+8.7%	186,797	1,314,519
	65+ years booster dose	1,910	-4.2%	36,037	114,619
	65+ years 2nd booster dose	10,873	+5.8%	88,311	474,763

^{*} Indicates absolute change in percentage points.

Cases and Deaths: State values are aggregated data provided by the states to the CDC. Historical reports of cases and deaths exceeding 1% of the total new cases or deaths reported in the US that day have been excluded. Data are through 10/12/2022; previous week is from 9/29 to 10/5.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data. The term Nucleic Acid Amplification Test (NAAT) includes RT-PCR and other testing methods. Test positivity through 10/10/2022; previous week is from 9/27 to 10/3. Test volume through 10/6/2022; previous week is from 9/23 to 9/29.

Admissions: Unified Hospitals Dataset in HHS Protect. Data are through 10/11, previous week is from 9/28 to 10/4.

Vaccinations: CDC COVID Data Tracker. Data include the Moderna, Pfizer BioNTech, J&J/Janssen, and Novavax COVID-19 vaccines. Data last updated 04:00 EDT on 10/12/2022. People initiating vaccination include those who have received the first dose of the Moderna, Pfizer-BioNTech, or Novavax vaccine as well as those who have received one dose of the J&J/Janssen vaccine. Population denominators reflect the subset of the population of the corresponding age range.


[†] Due to delayed reporting, this figure may underestimate total diagnostic tests and week-on-week changes in diagnostic tests.

DATA SOURCE

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

Shortages: Unified Hospitals Dataset in HHS Protect. Values presented show the latest reports from hospitals in the week ending 10/5/2022 for supplies.

State Profile Report | 10.13.2022



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. All three trends share the same horizontal axis shown on the bottom figure.

Cases and Deaths: State values are aggregated data provided by the states to the CDC. Historical cases and deaths exceeding 1% of the total new cases or deaths reported in the US that day have been excluded. Data are through 10/12/2022.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data. Test positivity through 10/10/2022. Test volume through 10/6/2022. METHODS: Details available on last two pages of report.

State Profile Report | 10.13.2022

State Vaccination Summary

Doses Delivered

15,303,930 224,096 per 100k

Doses Administered


10,743,836 157,323 per 100k

Age Group	At Least One Dose	Fully Vaccinated	Booster Dose†	Second Booster Dose‡
Total	4,351,633	3,806,785	1,782,082	492,807
	(63.7%)	(55.7%)	(46.8%)	(27.7%)
<5 years	14,129 (3.5%)	4,724 (1.2%)	N/A	N/A
5-11 years	121,815 (20.8%)	101,427 (17.3%)	13,641 (13.4%)	N/A
12-17 years	242,391	206,761	47,537	2,902
	(46.9%)	(40.0%)	(23.0%)	(6.1%)
18+ years	3,971,854	3,493,544	1,720,718	489,807
	(74.7%)	(65.7%)	(49.3%)	(28.5%)
65+ years	1,071,022	983,229	698,475	300,055
	(93.7%)	(86.0%)	(71.0%)	(43.0%)

Percent of Population Fully Vaccinated

Date: 10/13/2022 Percent of Population Fully Vaccinated through 10/13/2022 KY VA MO NC Percent county coulation fully Percent of population vaccinated 0% - 19.9% 20% - 29.9% 30% - 39.9% 40% - 49.9% MS 50% - 59.9% 60% - 69.9% 70% or More No Data

Percent of Fully Vaccinated 12+ Population with a Booster Dose



DATA SOURCES

County reporting completeness for Tennessee is 97.7%.


†Booster dose percentages are a proportion of the respective population that is fully vaccinated.


‡Second Booster dose percentages are a proportion of the respective population that has one booster.

Vaccinations: CDC COVID Data Tracker. Data includes the Moderna, Pfizer BioNTech, J&J/Janssen, and Novavax COVID-19 vaccines. Data last updated 04:00 EDT on 10/12/2022. Persons who are fully vaccinated include those who have received both doses of the Moderna, Pfizer-BioNTech, or Novavax vaccine as well as those who have received one dose of the J&J/Janssen vaccine.

State Profile Report | 10.13.2022

118 hospitals are expected to report in Tennessee






DATA SOURCES

Hospitalizations: Unified Hospitals Dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. Inpatient and ICU utilization is shown as a weekly rate; the weekly average of beds occupied is divided by the weekly average of total beds available. Data are through 10/11/2022.

State Profile Report | 10.13.2022

COVID-19 Community Level by county



Counties by COVID-19 Community LevelCategoryLowMediumHigh# of Counties (change) $91 (\uparrow 2)$ $4 (\downarrow 2)$ 0 (0)

All Low Counties: Anderson, Bedford, Benton, Bledsoe, Blount, Bradley, Campbell, Cannon, Carroll, Cheatham, Chester, Claiborne, Clay, Cocke, Coffee, Crockett, Cumberland, Davidson, DeKalb, Decatur, Dickson, Dyer, Fayette, Fentress, Franklin, Gibson, Giles, Grainger, Greene, Grundy, Hamblen, Hamilton, Hancock, Hardeman, Hardin, Hawkins, Haywood, Henderson, Henry, Hickman, Houston, Humphreys, Jackson, Jefferson, Johnson, Knox, Lake, Lauderdale, Lawrence, Lewis, Loudon, Macon, Madison, Marion, Marshall, Maury, McMinn, McNairy, Meigs, Monroe, Montgomery, Moore, Morgan, Obion, Overton, Perry, Pickett, Polk, Putnam, Rhea, Roane, Robertson, Rutherford, Scott, Sequatchie, Sevier, Shelby, Smith, Stewart, Sullivan, Sumner, Tipton, Trousdale, Union, Van Buren, Wayne, Weakley, White, Williamson, Wilson

All Medium Counties: Carter, Lincoln, Unicoi, Washington

DATA SOURCES

Maps and figures reflect 7-day average of data from 10/6-10/12 (cases), 10/5-10/11 (hospital data). Metro areas and counties are listed in alphabetical order. **Note:** Most recent days may have incomplete reporting.


Cases: County-level data are from a CDC managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. Data are through 10/12/2022.


Admissions: Unified Hospitals Dataset in HHS Protect. Data are through 10/11/2022.


COVID-19 Community Levels: COVID-19 Community Level is determined by the higher of the new admissions and inpatient bed metrics, based on the current level of new cases per 100,000 population in the past 7 days. See <u>CDC Community Levels</u>. A county is N/A if hospital data is not available. County data is mapped from Health Service Areas, defined as a single county or cluster of counties that are generally self-contained with respect to hospital care. Previous week levels are computed based on current data.


State Profile Report | 10.13.2022

Case Rates, NAAT Positivity, Hospital Admissions, and Death Rates









DATA SOURCES

 $\textbf{Note:} Some\ dates\ may\ have\ incomplete\ data\ due\ to\ delays\ in\ reporting.\ Data\ may\ be\ backfilled\ over\ time,\ resulting\ in\ week-to-week\ changes.$

Cases and Deaths: County-level data are from a CDC managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. Data are through 10/12/2022.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data. The term Nucleic Acid Amplification Test (NAAT) includes RT-PCR and other testing methods. Data are through 10/10/2022.


Hospitalizations: Unified Hospitals Dataset in HHS Protect. Totals include only confirmed COVID-19 admissions. County data is mapped from Health Service Areas, defined as a single county or cluster of counties that are generally self contained with respect to hospital care. Hospitals are assigned to an HSA based on county of location. In some cases, reports are aggregates of multiple facilities that cross HSA boundaries; in these cases, values are assigned based on the county for the aggregate. Data are through 10/11/2022.

METHODS: Details available on last two pages of report.

National Picture: Vaccinations


Percent of Population Fully Vaccinated

National Ranking of Population Fully Vaccinated




National Rank	State	National Rank	State
1	RI	27	NC
2	PR	28	SD
3	VT	29	AK
4	MA	30	KS
5	ME	31	AZ
6	DC	32	IA
7	СТ	33	NV
8	HI	34	TX
9	NY	35	MI
10	MD	36	ОН
11	NJ	37	OK
12	VA	38	WV
13	WA	39	SC
14	CA	40	KY
15	NM	41	MT
16	CO	42	МО
17	DE	43	ND
18	PA	44	IN
19	OR	45	GA
20	MN	46	AR
21	IL	47	TN
22	NH	48	ID
23	FL	49	LA
24	WI	50	MS
25	UT	51	AL
26	NE	52	WY

Percent of Fully Vaccinated 12+ Population with a Booster



Percent of 1st Booster 65+ Population with a 2nd Booster





National Picture: Vaccinations

National COVID-19 Vaccine Summary as of 10/12

Doses	: Delivered	371,852,135 2,599 per 100k	Doses Administered	627,854,963 189,108 per 100k
Age Group	At Least One Dose	Fully Vaccin	ated Booster Dose†	2nd Booster Dose‡
Total	265,111,489 (79.9%)	226,200,75 (68.1%)	5 110,835,775 (49.0%)	29,562,884 (26.7%)
<5 years	1,362,906 (6.9%)	516,617 (2.6%)	N/A	N/A
5-11 years	11,103,465 (38.6%)	9,074,774 (31.6%)	1,453,819 (16.0%)	N/A
12-17 years	17,995,327 (71.1%)	15,394,329 (60.8%)	9 4,579,476 (29.7%)	249,112 (5.4%)
18+ years	234,470,372 (90.8%)	201,124,15 (77.9%)	6 104,798,224 (52.1%)	29,309,766 (28.0%)
65+ years	57,935,108 (95.0%)	50,868,579 (92.8%)	36,299,632 (71.4%)	16,837,064 (46.4%)

Daily National Count of Vaccine Doses Administered by Date of Administration






Percent of fully vaccinated population that has received a booster dose


DATA SOURCES

†Booster dose percentages are a proportion of the respective population that is fully vaccinated. ‡Second Booster dose percentages are a proportion of the respective population that has one booster. . Data includes the Moderna, Pfizer BioNTech, J&J/Janssen, and Novavax COVID-19 vaccines. Data last updated 04:00 EDT on 10/12/2022. Persons who are fully vaccinated include those who have received both doses of the Moderna, Pfizer-BioNTech, or Novavax vaccine as well as those who have received one dose of the J&J/Janssen vaccine. The count of people who received a booster dose includes anyone who is fully vaccinated and has received another dose of COVID-19 vaccine since August 13, 2021. This includes people who received booster doses and people who received additional doses. Due to delays in reporting, data on doses administered in recent days (as reflected by lighter purple coloring in the Daily National Count figure) may be an underestimate of the actual value.


National Picture: Vaccinations

National Summary of Vaccinations by Race/Ethnicity







National Summary of Vaccinations by Age



Percent of total population that are fully vaccinated





DATA SOURCES

Vaccinations: CDC COVID Data Tracker. Data includes the Moderna, Pfizer BioNTech, J&J/Janssen, and Novavax COVID-19 vaccines. Data last updated 04:00 EDT on 10/12/2022. Persons who are fully vaccinated include those who have received both doses of the Moderna, Pfizer-BioNTech, or Novavax vaccine as well as those who have received one dose of the J&J/Janssen vaccine. Race/Ethnicity data were available for 75.1% receiving at least one dose and 78.5% fully vaccinated. Age data were available for 100.0% receiving at least one dose and 100.0% fully vaccinated. Texas does not report demographic-specific dose number information to CDC, so data for Texas are not represented in demographic trends figures. "NH" stands for Non-Hispanic/Latinx, "Al/AN" stands for American Indian or Alaska Native, and "NH/PI" stands for Native Hawaiian or Pacific Islander.

METHODS: Details available on last two pages of report.

National Picture: Cases

New Cases per 100,000

New Cases per 100K 10/06/2022-10/12/2022 | New Cases per 100K | 10/06/2022-10/12/2022 | New Cases per 100K | 10/06/2022-10/12/2022 | Cases per 100K | ≤ 20 Cases in Last 14 Days | 0 to 4 | 5 to 9 | 100 to 199 | 200 to 499 | 500 to 749 | 500 to 749 | 750 or More | No Data

National Ranking of New Cases per 100,000


National		National	
			.
Rank	State	Rank	State
1	IN	27	OR
2	DC	28	NM
3	AZ	29	WY
4	GA	30	VA
5	NV	31	TN
6	LA	32	IL
7	SC	33	OH
8	MS	34	VT
9	TX	35	WV
10	FL	36	KS
11	IA	37	MT
12	UT	38	PA
13	NE	39	NH
14	AL	40	MN
15	ID	41	CT
16	AR	42	WI
17	CO	43	MI
18	MD	44	ND
19	AK	45	DE
20	WA	46	ME
21	SD	47	MA
22	OK	48	NJ
23	HI	49	PR
24	NC	50	NY
25	CA	51	RI
26	МО	52	KY

New Cases per 100,000 in the Week:

One Month Before



Two Months Before



Three Months Before



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. **Cases:** County-level data are from a CDC managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. State values are aggregated data provided by the states to the CDC. The week one month before is from 9/8 to 9/14; the week two months before is from 8/11 to 8/17; the week three months before is from 7/14 to 7/20. Due to technical issues, Indiana has not reported cases in the last week.

National Picture: NAAT Positivity


Nucleic Acid Amplification Test (NAAT) Positivity

National Ranking of NAAT Positivity


NI-41I			NI - 41 1	
National			National	
Rank	State		Rank	State
1	IL	l	27	NC
2	CO	l	28	NY
3	AL	l	29	CT
4	GA	l	30	NE
5	LA	l	31	VA
6	HI	l	32	OK
7	OR	l	33	IN
8	FL	l	34	MT
9	AK	l	35	DE
10	AR	l	36	ME
11	ND	l	37	TN
12	MD	l	38	ID
13	TX	l	39	PA
14	MS	ı	40	VT
15	SC	ı	41	NH
16	MA	ı	42	KS
17	KY	ı	43	AZ
18	WA	ı	44	PR
19	WY	ı	45	NV
20	WI	l	46	UT
21	WV	l	47	MI
22	ОН	l	48	SD
23	NM	l	49	МО
24	MN	l		CA
25	NJ	l		DC
26	RI	ı		IA

Nucleic Acid Amplification Test (NAAT) Positivity in the Week:

One Month Before



Two Months Before



Three Months Before




DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. **Testing:** CELR (COVID-19 Electronic Lab Reporting) state health department-reported data. The term Nucleic Acid Amplification Test (NAAT) includes RT-PCR and other testing methods. Data are through 10/10/2022. The week one month before is from 9/6 to 9/12; the week two months before is from 8/9 to 8/15; the week three months before is from 7/12 to 7/18. As of February 17, 2022, lowa is no longer reporting negative test results; therefore, test volume and test positivity from this date forward is no longer presented. Due to reporting delays, California and The District of Columbia's test positivity (and test volume) may be incomplete for the last week.

National Picture: Hospital Admissions

Confirmed New COVID-19 Admissions per 100,000



National Ranking of Confirmed Admissions Per 100,000

National			National	
	_			_
Rank	State		Rank	State
1	MS	l	27	VA
2	PR	ı	28	WY
3	AZ	ı	29	ID
4	NM	ı	30	LA
5	OK	ı	31	KY
6	NV	ı	32	ND
7	CO	ı	33	SD
8	UT	ı	34	IL
9	TX	ı	35	MN
10	GA	ı	36	MO
11	WA	ı	37	DC
12	TN	ı	38	VT
13	SC	l	39	ОН
14	CA	l	40	RI
15	IN	l	41	WV
16	AL	l	42	WI
17	AK	l	43	MT
18	AR	l	44	MI
19	MD	l	45	NH
20	OR	l	46	DE
21	KS	l	47	PA
22	NC	l	48	ME
23	HI	l	49	NJ
24	IA	l	50	MA
25	NE	l	51	NY
26	FL	l	52	СТ

Confirmed New COVID-19 Admissions per 100,000 in the Week:

One Month Before



Two Months Before



Three Months Before



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. **Admissions:** Unified Hospitals Dataset in HHS Protect through 10/11/2022. Totals include only confirmed COVID-19 admissions. The week one month before is from 9/7 to 9/13; the week two months before is from 8/10 to 8/16; the week three months before is from 7/13 to 7/19. County data is mapped from Health Service Areas, defined as a single county or cluster of counties that are generally self contained with respect to hospital care. Hospitals are assigned to an HSA based on county of location. In some cases, reports are aggregates of multiple facilities that cross HSA boundaries; in these cases, values are assigned based on the county for the aggregate. **METHODS:** Details available on last two pages of report.

National Picture: Deaths

New Deaths per 100,000

Date: 10/13/2022 New Deaths per 100K 10/06/2022-10/12/2022 Deaths per 100K NEW Deaths per 100K 10/06/2022-10/12/2022

National Ranking of New Deaths per 100,000

National			National	
Rank	State		Rank	State
1	AK	ı	27	WA
2	DC	П	28	ID
3	IN	П	29	MD
4	AL	П	30	OR
5	NC	П	31	MN
6	FL	П	32	OH
7	NE	П	33	PR
8	UT	П	34	LA
9	CO	П	35	WY
10	HI	П	36	IA
11	NH	П	37	DE
12	TX	П	38	PA
13	IL	П	39	MA
14	NJ	П	40	VA
15	RI	П	41	OK
16	CT	П	42	NY
17	NV	П	43	ND
18	MO	П	44	WV
19	MS	П	45	TN
20	KS	П	46	SC
21	NM	П	47	SD
22	CA	П	48	MI
23	VT	l	49	KY
24	AZ	ı	50	ME
25	GA		51	MT
26	WI	l	52	AR

New Deaths per 100,000 in the Week:


One Month Before



Two Months Before



Three Months Before




DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. Some states report deaths by date of death, periodically backfilling from their data by date of report. This can result in under-estimates or fluctuations in the number of deaths reported in the last week.

Deaths: County-level data are from a CDC managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. State values are aggregated data provided by the states to the CDC. As of 3/2/2021, Ohio changed their method of reporting COVID-19 deaths and will report deaths on the day of death, not the day of report, which could result in a fluctuation in the number of deaths from recent weeks due to delayed reporting. As of 4/7/2022, North Dakota is no longer reporting county-level deaths; therefore, county-level death counts from this date forward are no longer available. Puerto Rico is shown at the territory level as deaths are not reported at the municipio level. The week one month before is from 9/8 to 9/14; the week two months before is from 8/11 to 8/17; the week three months before is from 7/14 to 7/20. Due to technical issues, Indiana has not reported deaths in the last week.

METHODS: Details available on last two pages of report.

National Picture: COVID-19 Community Level



Counties by COVID-19 Community Level Component Metrics						
<200 Cases per 100K						
Admissions per 100K	10.0 to 19.9	20.0+				
# of counties (change)	2,572 (1102)	503 (↓36)	40 (↓9)			
% of counties (change)	79.9% (+3.2%)	15.6% (↓1.1%)	1.2% (↓0.3%)			
COVID Inpatient Occupancy	<10.0%	10.0% to 14.9%	15.0%+			
# of counties (change)	3,104 (↑53)	11 (↑5)	0 (↓1)			
% of counties (change)	96.4% (11.6%)	0.3% (↑0.2%)	0.0% (↓0.0%)			
	200+ Cases per 10	0K				
Admissions per 10	00K	<10.0	10.0+			
# of counties (chan	ge)	75 (↓41)	27 (↓16)			
% of counties (char	nge)	2.3% (↓1.3%)	0.8% (↓0.5%)			
COVID Inpatient Occu	ipancy	<10.0%	10.0%+			
# of counties (chan	ge)	100 (↓56)	2 (↓1)			
% of counties (char	nge)	3.1% (\(\psi 1.7\%)\) 0.1% (\(\psi 0.0\%)\)				

Counties by COVID-19 Community Level

Category	Low	Medium	High
# of Counties (Change)	2,567 (198)	583 (↓72)	67 (↓26)
% of Counties (Change)	79.7% (↑3.0%)	18.1% (↓2.2%)	2.1% (↓0.8%)

DATA SOURCES

Maps and figures reflect 7-day average of data from 10/6-10/12 (cases), 10/5-10/11 (hospital data).

Note: Most recent days may have incomplete reporting.

Cases: County-level data are from a CDC managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. Data are through 10/12/2022. Due to technical issues, Indiana has not reported cases in the last week.

Admissions: Unified Hospitals Dataset in HHS Protect. Data are through 10/11/2022.

County Percentages: Based on a denominator of 3,220 county/county-equivalents, including states, the District of Columbia, and Puerto Rico municipios.

COVID-19 Community Levels: COVID-19 Community Level is determined by the higher of the new admissions and inpatient bed metrics, based on the current level of new cases per 100,000 population in the past 7 days. See CDC Community Levels. A county is N/A if hospital data is not available. County data is mapped from Health Service Areas, defined as a single county or cluster of counties that are generally self-contained with respect to hospital care. Previous week levels are computed based on current data.

METHODS: Details available on last two pages of report.

Data Sources & Methods

State Profile Report | 10.13.2022

- Some dates may have incomplete data due to delays and/or differences in state reporting. Data may be backfilled over time, re sulting in week-to-week changes between reports. It is critical that states provide as up-to-date data as possible. Figures and values may also differ from state reports due to differing methodologies. For more information, see CDC COVID Data Tracker.
- All population values are vintage 2019 US Census data.
- Values presented as rates or percentages are rounded to the number of decimal places shown. Low rates may round to zero (0, 0.0, 0%, 0.0%) even when actual values
 are greater than zero.
 - Cases and Deaths: County-level data are from a CDC-managed aggregate county dataset compiled from state and local health departments; therefore, the values may not match those reported directly by the state. State values are aggregated data provided by the states to the CDC. Data and week-on-week changes are as of 12:10 EDT on 10/13/2022. Cases and deaths are generally shown by date of report. Some states periodically adjust their past data with CDC to show it by case date and death date, as determined by the state. Between adjustments, new cases and deaths continue to be shown by date of report. This can potentially lead to overestimates of the week-on-week increases in cases or deaths. As of October 25, 2021, CDC no longer spreads aggregate COVID-19 case and death counts evenly over non-reporting days (i.e., smoothing), to avoid under-reporting of weekend averages.
 - As of 3/2/2021, Ohio changed their method of reporting COVID-19 deaths and will report deaths on the day of death, not the day of report, which could result in a fluctuation in the number of deaths from recent weeks due to delayed reporting.
 - As of 4/7/2022, North Dakota is no longer reporting county-level deaths; therefore, county-level death counts from this date forward are no longer available.
 - Puerto Rico deaths are shown at the territory level as deaths are not reported at the municipio level.
 - Due to technical issues, Indiana has not reported cases or deaths in the last week.
 - Historical reports of cases and deaths for which backfill dates are not available that exceed 1% of the total new cases or deaths reported in the US that day have been excluded from state daily and weekly trends. However, these are still present in county-level data. Historical reports in the last two weeks (9/29/22 10/12/22) are:
 - Alaska deaths: 27 on 10/5
 - **Testing:** The data presented represent viral COVID-19 laboratory diagnostic and screening test results not individual people and exclude antibody and antigen tests, unless stated otherwise. The term Nucleic Acid Amplification Test (NAAT) includes RT-PCR and other testing methods, which were always included in the testing data. CELR (COVID-19 Electronic Lab Reporting) state health department-reported data are used to describe county-level viral COVID-19 NAAT result totals when information is available on patients' county of residence or healthcare providers' practice location. Because the data are deidentified, total NAATs are the number of tests performed, not the number of individuals tested. NAAT positivity rate is the number of positive tests divided by the number of tests performed and resulted. For test positivity, last week data are from 10/4 to 10/10; previous week data are from 9/27 to 10/3; the week one month before data are from 9/12. For number of tests, last week data are from 9/30 to 10/6; previous week data are from 9/23 to 9/29. HHS Protect data are recent as of 10:16 EDT on 10/13/2022. Testing data are inclusive of everything received and processed by the CELR system as of 19:00 EDT on 10/12/2022.
 - As of February 17, 2022, Iowa is no longer reporting negative test results; therefore, test volume and test positivity from this date forward is no longer presented. Due to reporting delays, California and The District of Columbia's test positivity (and test volume) may be incomplete for the last week.
 - **Hospitalizations:** Unified Hospitals Dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. In addition, hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. The data presented represents raw data provided; we are working diligently with state liaisons to improve reporting consistency. Inpatient and ICU utilization is shown as a weekly rate; the weekly average of beds occupied is divided by the weekly average of total beds available. Data are recent as of 10:57 EDT on 10/13/2022.
- Shortages: Unified Hospitals Dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Low supply is defined as a
 hospital reporting they are not able to maintain a 3-day supply of N95s, face masks, gloves, gowns, or eye protection. Data are recent as of 11:04 EDT on 10/13/2022.
- COVID-19 Community Levels
 - High: Those counties that during the last week reported 200 or more cases per 100,000 population with either a percentage of staffed inpatient beds occupied by COVID-19 patients (7-day average) at or above 10.0% or 10.0 or more admissions per 100,000 population (7-day total); or fewer than 200 cases per 100,000 population with either a percentage of staffed inpatient beds occupied by COVID-19 patients (7-day average) at or above 15.0% or 20.0 or more admissions per 100,000 population (7-day total).
 - **Medium:** Those counties that during the last week reported 200 or more cases per 100,000 population with a percentage of staffed inpatient beds occupied by COVID-19 patients (7-day average) below 10.0% and fewer than 10.0 admissions per 100,000 population (7-day total); or fewer than 200 cases per 100,000 population with a percentage of staffed inpatient beds occupied by COVID-19 patients (7-day average) between 10.0% and 14.9% and between 10.0 and 19.9 admissions per 100,000 population (7-day total).
 - **Low:** Those counties that during the last week reported fewer than 200 cases per 100,000 population with a percentage of staffed inpatient beds occupied by COVID-19 patients (7-day average) below 10.0% and fewer than 10.0 admissions per 100,000 population.
 - N/A: A county is N/A if hospital data is not available.
 - If the indicators suggest different levels, the higher level is selected. Previous week levels are computed based on current data. See CDC Community Levels.
 - Vaccinations: CDC COVID Data Tracker. Data includes the Moderna, Pfizer BioNTech, J&J/Janssen, and Novavax COVID-19 vaccines. Data last updated 04:00 EDT on 10/12/2022. Persons who are fully vaccinated include those who have received both doses of the Moderna, Pfizer-BioNTech, or Novavax vaccine as well as those who have received one dose of the J&J/Janssen vaccine. COVID-19 vaccines are available in the U.S. for persons 6 months of age and older. Second booster doses are authorized for persons 50 years of age or older and for the immunocompromised 12 years of age or older. Population denominators reflect the subset of the population of the corresponding age range when specified (e.g., 12+, 12-17, 18+, or 65+), otherwise the total population is used. The count of people who received a booster dose includes anyone who is fully vaccinated and has received another dose of COVID-19 vaccine since August 13, 2021. This includes people who received booster doses and people who received additional doses. CDC has capped the percent of population coverage metrics at 95.0%. These metrics could be greater than 95.0% for multiple reasons, including census denominator data not including all individuals that currently reside in the county (e.g., part time residents) or potential data reporting errors. The following states have <80% completeness reporting vaccinations by county, which may result in underestimates of vaccination data for counties: VA (78%), GU (76%), VT (74%), and HI (0%).
- Variants: Data from CDC COVID Data Tracker. Variant proportions are based on representative CDC sequence data (NS3 + CDC-funded contract sequencing) collected over a 4-week period ending September 17, 2022. For Omicron sequence surveillance at the state level, BA.2 includes all BA.2 sublineages except BA.2.12.1, and BA.4 and BA.5 each include all of their respective sublineages; and all other BA sublineages are aggregated with B.1.1.529. Proportions are calculated using empirical (unweighted) data, which are subject to change over time and will be updated as more data become available. Proportions of variants do not represent the total number that may be circulating in the United States and may not match cases reported by states, territories, tribes, and local officials. For states and jurisdictions not listed, CDC has insufficient genomic surveillance data for the specified time period. Data updated by 19:00 ET on 10/11. Data pulled 12:07 EDT on 10/13/2022.

Data Sources & Methods

State Profile Report | 10.13.2022

Color threshold values are rounded before color classification

Metric	Dark Green	Light Green	Yellow	Orange	Light Red	Red	Dark Red	Darkest Red
New cases per 100,000 population per week	≤4	5 – 9	10 - 49	50 – 99	100 – 199	200 – 499	500 – 749	≥ 750
Percent change in new cases per 100,000 population	≤ -26%	-25% – -11%	-10% - 0%	1% - 10%	11% - 99%	100% – 999%	≥ 10	00%
Diagnostic test result positivity rate	≤ 2.9%	3.0% - 4.9%	5.0% - 7.9%	8.0% - 9.9%	8.0% - 9.9% 10.0% - 14.9% 15.0%		20.0% – 24.9%	≥ 25.0%
Change in test positivity	≤ -2.1%	-2.0% – -0.6%	-0.5% – 0.0%	0.1% - 0.5%	0.6%	- 2.0%	≥2	.1%
Total diagnostic tests resulted per 100,000 population per week	≥ 5000	3000 – 4999	2000 – 2999	1000 - 1999	500	- 999	≤ 4	199
Percent change in tests per 100,000 population	≥ 26%	11% - 25%	1% - 10%	-10% - 0%	-25% – -11% ≤		≤ -2	26%
COVID-19 deaths per 100,000 population per week	0.0		0.1 - 0.9	1.0 - 1.9	2.0 – 4.9	5.0 – 9.9	10.0 - 14.9	≥ 15.0
Percent change in deaths per 100,000 population	≤ -26%	-25% – -11%	-10% - 0%	1% - 10%	11%	- 25%	≥ 26%	
Confirmed new COVID-19 hospital admissions per 100,000 population per week	≤ 1.9	2.0 – 4.9	5.0 – 9.9	10.0 - 19.9	20.0	- 29.9	≥ 30.0	
Change in new COVID-19 hospital admissions per 100,000 population per week	≤ -26%	-25% – -11%	-10% - 0%	1% - 10%	11%	- 25%	≥ 26%	
Percent of staffed inpatient beds occupied by COVID-19 per week	≤ 3%	4% - 7%	8% - 12%	13% - 15%	16%	- 20%	≥ 21%	
Change in percent of staffed inpatient beds occupied by COVID-19	≤ -2%	-1%	0%	1%	2	2%	≥ 3%	
Percent of hospitals with supply shortages	≤ 9	9%	10% - 19%	20% – 29%	30%	- 39%	≥ 4	0%
Change in percent of hospitals with supply shortages	≤-10%	-9% – -5%	-4% – 0%	1% - 4%	5%	5% – 9%		0%
Percent of Population Fully Vaccinated (State Level)	≤ 49.9%	b	50.0% - 59.9%	60.0%	- 69.9%	70.0% – 79.9%	/o =	≥ 80.0%